



## Item Overview

Item#: AK176ET-047-J7 **(Inactive)**

Model: [AKA2425ZXD](#)

Type: Reciprocating

Version: AK Series

Application: LBP - Low Back Pressure

Refrigerant: R-404A/R-407A/R-448A/R-449A/R-452A

Voltage/Frequency: 200V ~ 50Hz / 208-230V ~ 60Hz

# Specifications

Dimensions - Height:	8.954
Dimensions - Width:	7.298
Dimensions - Length:	11.032
Dimensions Unit of Measure:	IN
Discharge Line Size:	1/4 in (6.35mm)
Suction Line Size:	3/8 in (9.52mm)
Overload Type:	EXTERNAL
Overload:	<input checked="" type="checkbox"/>
Primary Relay:	<input checked="" type="checkbox"/>
Terminal Cover:	<input checked="" type="checkbox"/>
Capicitor Cabinet Assembly:	<input checked="" type="checkbox"/>
Run Capacitor:	<input checked="" type="checkbox"/>
Start Capacitor:	<input checked="" type="checkbox"/>
Grommet:	<input checked="" type="checkbox"/>

# Replacement Parts

*Are you a European Customer? Please use the TParts Finder Tool for the most accurate, up-to-date replacement parts information.*

Go TO TParts

Relay Kit:	K71-62
Overload Kit:	K90-106
Run Cap Kit:	K150-07
Start Cap Kit:	K146-41
Run Capacitor:	85PR370F20
Run Capacitor:	85PR370F51
Mounting Sleeve:	70459
Grommet:	70711
Loose Parts Assembly:	LP15

Documents

[Sales Drawing \(EN\)](#)

[Electrical Diagram \(EN\)](#)